

FABRIC EXPLANATION

We are proud to work with a dedicated selection of the UK and Europe's longest established and best recognised upholstery fabric, PU, Vinyl and Leather manufacturers.

The range of manufacturers, finishes and price bands offers a solution for all specifications and budgets - please contact us for further details or assistance.

The fabrics offered within this section are a selection of the most popular within the market, and are suitable for applications ranging from operator/task seating, soft seating and for the upholstery of vertical surfaces, such as desk mounted and floor standing screens (where indicated).

Where environmental credentials are a major consideration we are also able to source and recommend from a wide choice of environmental fabrics, made from recycled raw materials, or materials composed of rapidly renewable sources such as wool or innovative bast fibres from nettles, hemp or even recycled coffee sacks.

UNLIMITED FABRICS



Where you see the above icon the product is available upholstered to your exact specification. Choose from multiple on-trend finishes to match your market place or corporate colour scheme, or simply something different to brighten up your business environment.

FIRE RETARDENCY

The fire retardency or CRIB rating of a particular fabric measures its ability to resist ignition from an exposed flame. There are a variety of tests for the flammability of upholstery fabrics within the UK - we have listed a brief description of those applicable to our market below (please note this is not exhaustive; if further information is required please contact us).

Low Hazard - tested to BS7176:2007 Low Hazard fabric ratings are suitable for use within the general office environment

CRIB 5 - Where a fabric has been treated and tested to standard it is suitable for most uses, particularly contract environments like hotels, where the impact of a fire can be serious.

CRIB 7 - This is a more stringent test version of CRIB 5. Fabric that passes this test is suitable for more hazardous environments like prisons or offshore installations.

PLEASE NOTE:

Fabric Bandings - Should your fabric of choice not be listed please contact our sales teams who will be happy to assist. Please ensure you check the suitability of your selected fabric for its application prior to ordering.

Leather - All leather fabrics are priced on application.

Fabric Swatches - We recommend that your final fabric selection is made based on a physical swatch only. Please note colour accuracy of printed fabric swatches is not guaranteed and is intended as a guide only.

STOCK FABRIC SWATCHES

OPERATOR, TASK AND MEETING CHAIRS



Pyra Charcoal



Black



Pyra Royal Blue



Pyra Claret



Flamblend Marine Blue



Flamblend Ruby

TUX SOFT SEATING RANGE



Grey sofa



Olive Green cushion



Mustard Yellow cushion



Mulberry Red cushion



Aegean Blue cushion

FABRIC BAND GUIDE



Where you see the adjacent icon the product is available upholstered to your exact specification. Choose for multiple on-trend finishes to match your market place or corporate colour scheme, or simply something different to brighten up your business environment.

MANUFACTURER	MATERIAL NAME	0	1	2	3	4	5	6	LEATHER	WOOL CONTENT %AGE	CRIB FIRE RATING	APPLICATION
Agua	Libra			•						0	CRIB 5	TASK & SS
Agua	Paint Pot			•						0	CRIB 5	TASK & SS
Agua	Taurus collection					•				0	CRIB 5	TASK & SS
Agua	Parody					•				0	CRIB 5	TASK & SS
Agua	Nova					•				0	CRIB 5	TASK & SS
Agua	Cashmir					•				0	CRIB 5	TASK & SS
Agua	Funisoft PU					•				0	CRIB 5	TASK & SS
Bradbury	Pyra	•								0	LOW HAZARD	TASK
Bradbury	Screen 66	•								0	BS 476 PT.7 C.1	SCREENS
Bradbury	Screen 72		•							0	BS 476 PT.7 C.1	SCREENS
Bradbury	Arizona		•							0	LOW HAZARD	TASK
Bradbury	Galaxy screen		•							0	BS 476 PT.7 C.1	SCREENS
Bradbury	Omega Plus		•							0	CRIB 5	TASK
Bradbury	Stirling		•							30	LOW HAZARD	TASK
Bradbury	Fizz		•							0	CRIB 5	TASK
Bradbury	Figaro			•						0	CRIB 5	TASK & SS
Bradbury	Torro			•						0	LOW HAZARD	TASK & SS
Bradbury	Flamblend			•						45	CRIB 5	TASK & SS
Bradbury	Torro Plus				•					0	CRIB 5	TASK & SS
Bradbury	Carnival				•					85	CRIB 5	TASK & SS
Bradbury	Blenheim					•				90	CRIB 5*	TASK & SS
Bradbury	Blenheim Check						•			90	CRIB 5*	TASK & SS
Camira	Cara		•							0	LOW HAZARD	SCREENS
Camira	Fiji		•							0	LOW HAZARD	SCREENS
Camira	Phoenix		•							0	LOW HAZARD	TASK
Camira	Citadel		•							0	LOW HAZARD	TASK
Camira	Rivet		•							0	LOW HAZARD	TASK & SS
Camira	Era		•							0	LOW HAZARD	TASK & SS
Camira	Advantage		•							30	LOW HAZARD	TASK
Camira	Gravity			•						0	CRIB 5	TASK & SS
Camira	Lucia			•						0	LOW HAZARD	SCREENS
Camira	Sonus			•						0	BS 476 PT.7 C.1	SCREENS
Camira	Manhattan			•						0	LOW HAZARD	TASK
Camira	Racer			•						0	BS 476 PT.7 C.1	SCREENS
Camira	L2			•						0	BS 476 PT.7 C.1	SCREENS
Camira	Xtreme				•					0	CRIB 5	TASK
Camira	Canopy				•					0	LOW HAZARD	TASK & SS
Camira	Sprint				•					0	LOW HAZARD	TASK & SS
Camira	Chateau				•					0	LOW HAZARD	TASK
Camira	Velocity				•					0	LOW HAZARD	TASK & SS
Camira	Vita				•					0	CRIB 5	TASK & SS
Camira	Urban				•					0	CRIB 5	TASK
Camira	X2				•					0	CRIB 5	TASK & SS
Camira	Main Line Plus					•				67	CRIB 5	TASK & SS
Camira	Aspect					•				0	CRIB 5	TASK & SS
Camira	Main Line Flax					•				70	CRIB 5	TASK & SS
Camira	Halcyon - Linden					•				0	CRIB 5	TASK & SS
Camira	Honeycomb					•				0	CRIB 5	TASK & SS
Camira	Nexus					•				0	LOW HAZARD	SCREENS
Camira	Blazer Lite					•				100	BS 476 PT.7 C.1	SCREENS
Camira	Halcyon - Cedar						•			0	CRIB 5	TASK & SS
Camira	Halcyon - Poplar						•			0	CRIB 5	TASK & SS
Camira	Halcyon - Aspen						•			0	CRIB 5	TASK & SS
Camira	Halcyon - Blossom						•			0	CRIB 5	TASK & SS
Camira	Hi-Tech						•			29	LOW HAZARD	TASK & SS

* WHEN TREATED

Featured swatches in following fabric brand pages

PLEASE NOTE:

FABRIC BANDINGS - Should your fabric of choice not be listed please contact our sales teams who will be happy to assist. The above is intended as a guide only. Please ensure you check the suitability of your selected fabric for its application prior to ordering.

LEATHER - All leather fabrics are priced on application.

FABRIC SWATCHES - We recommend that your final fabric selection is made based on a physical swatch only. Please note colour accuracy of printed fabric swatches is not guaranteed and is intended as a guide only.

MANUFACTURER	MATERIAL NAME	0	1	2	3	4	5	6	LEATHER	WOOL CONTENT %AGE	CRIB FIRE RATING	APPLICATION
Camira	Synergy						•			95	CRIB 5*	TASK & SS
Camira	Hemp						•			60	CRIB 5	TASK & SS
Camira	24/7 +						•			33	CRIB 5	TASK & SS
Camira	24/7 Flax						•			30	CRIB 5	TASK
Camira	Landscape Balance/Contact						•			95	CRIB 5*	TASK & SS
Camira	Intervene Plain/Texture						•			0	CRIB 5	TASK & SS
Camira	Blazer							•		100	CRIB 5*	TASK & SS
Camira	Marvel							•		0	CRIB 5	TASK & SS
Camira	Aquarius							•		100	CRIB 5*	TASK & SS
Camira	Oxygen							•		90	CRIB 5*	TASK
Camira	Silk							•		67	CRIB 5	TASK & SS
Camira	Track							•		0	CRIB 5	TASK & SS
Camira	Synergy 170							•		95	LOW HAZARD	SCREEN
Camira	Hebden							•		60	CRIB 5	TASK & SS
Camira	Main Line Flax Stripe							•		70	CRIB 5	TASK & SS
Camira	Trail							•		0	CRIB 5	TASK & SS
Camira	Acrobat (Net) Trapeze							•		0	LOW HAZARD	TASK & SS
Camira	Individuo							•		95	CRIB 5*	TASK & SS
Camira	Stripes							•		95	CRIB 5	TASK & SS
Camira	Craggan							•		100	CRIB 5	TASK & SS
Camira	Code							•		85	CRIB 5*	TASK & SS
Camira	Century							•		77	CRIB 5	TASK & SS
Camira	Nettle Collection							•		75	CRIB 5	TASK & SS
Camira	Blazer Quilt Channel/Hourglass							•		100	LOW HAZARD	TASK & SS
Camira	Zig Zag							•		95	CRIB 5*	TASK & SS
Camira	Corrosion							•		95	CRIB 5*	TASK & SS
Camira	Vintage							•		0	CRIB 5	TASK & SS
Chieftain	Trimcell Classic			•						0	LOW HAZARD	TASK & SS
Chieftain	Trimcell Legend				•					0	LOW HAZARD	TASK & SS
Chieftain	Carino				•					0	CRIB 5	TASK & SS
Chieftain	Just Colour				•					0	CRIB 7	TASK & SS
Chieftain	Just Patterns				•					0	CRIB 5	TASK & SS
Chieftain	Lionella					•				0	CRIB 5	TASK & SS
Chieftain	Casco					•				0	CRIB 5	TASK & SS
Chieftain	Cube					•				0	CRIB 5	TASK & SS
Chieftain	Marquis					•				0	CRIB 5	TASK & SS
Chieftain	Riviera					•				0	CRIB 5	TASK & SS
Chieftain	Self Colour					•				0	CRIB 5	TASK & SS
Chieftain	Traditional					•				0	CRIB 5	TASK & SS
Chieftain	Universal					•				0	CRIB 5	TASK & SS
Chieftain	Multistretch						•			0	CRIB 5	TASK & SS
CrestJTM	Contempo							•		0	CRIB 5	TASK & SS
CrestJTM	Shelly							•		0	CRIB 5	TASK & SS
CrestJTM	Vele							•		0	CRIB 5	TASK & SS
CrestJTM	Cambridge							•		0	CRIB 5	TASK & SS
CrestJTM	Colorado							•		0	CRIB 5	TASK & SS
Yarwood	Dollaro (vinyl)				•					0	CRIB 5	TASK & SS
Yarwood	Aneurin (vinyl)					•				0	CRIB 5	TASK & SS
Yarwood	Ascot (vinyl)					•				0	CRIB 5	TASK & SS
Yarwood	Churchill (vinyl)						•			0	CRIB 5	TASK & SS
Yarwood	Camden							•		0	CRIB 5	TASK & SS
Yarwood	Style							•		0	CRIB 5	TASK & SS
Yarwood	Hammersmith							•		0	CRIB 5	TASK & SS
Yarwood	Capri							•		0	CRIB 5	TASK & SS
Yarwood	Mustang							•		0	CRIB 5	TASK & SS

* WHEN TREATED

Featured swatches in following fabric brand pages

PLEASE NOTE:

FABRIC BANDINGS - Should your fabric of choice not be listed please contact our sales teams who will be happy to assist. The above is intended as a guide only. Please ensure you check the suitability of your selected fabric for its application prior to ordering.

LEATHER - All leather fabrics are priced on application.

FABRIC SWATCHES - We recommend that your final fabric selection is made based on a physical swatch only. Please note colour accuracy of printed fabric swatches is not guaranteed and is intended as a guide only.

Chieftain Fabrics are experts in vinyl upholstery. It is our only focus and we believe that for this reason, we are the best at what we do. We have specialised in the design and production of high quality performance fabric and contract upholstery for over 60 years. With our unique mix of specialist expertise, innovative R&D and advanced materials, we produce an inherently better fabric. We are constantly striving to keep up with ever changing technologies and we have the only fabric that has passed both the Tropical test and Crib 7.

FABRIC BAND 3



Application
High traffic areas, stadia seating, restaurant, hotel, healthcare, prisons, high security environments etc.

Characteristics
Surface : Phthalate free PVC
Backing : Cotton/PES
Weight : 705 g/m2
Thickness : 1.10mm
Bursting Strength : 1,200+kPa
Abrasion : 300,000+ Martindale Rubs

Flame Retardancy
BS5852 Ignition Source 7 - Crib 7 as standard
BS7176 Medium Hazard
S.I. 1988 No.1324 Schedule 4 and 5
BS EN1021-1 and 2
CS-25
FMVSS 302
IMO A 652 (16)

Jungle / Tropical Test
ISO 1419 : 1995 Accelerated Aging Test

Antimicrobial
JIS Z 2801:2000
Independent testing has verified that Just Colour is effective at reducing the spread of MRSA, E.Coli, and other similar bacteria.

See Chieftainfabrics.com for further details and cleaning instructions



FABRIC BAND 3



Application
Domestic application only - not suitable for contract use.

Characteristics
Surface : PVC
Backing : PES or Cotton PES
Weight : 608g/m2
Thickness : 1.00mm
Bursting Strength : 1,000+kPa
Abrasion : 40,000+ Martindale Rubs

Flame Retardancy
BS7176 Low Hazard
S.I. 1988 No.1324 Schedule 4 and 5
BS EN1021-1 and 2
CS-25
FMVSS 302
IMO A 652 (16)

See Chieftainfabrics.com for further details and cleaning instructions



FABRIC BAND 4



Application
High traffic areas, stadia seating, restaurant, hotel, healthcare etc

Characteristics
Surface : Phthalate free PVC 85% : 15% PU
Backing : Cotton 100%
Weight : 800g/m2
Thickness : 1.25mm
Bursting Strength : 1,000+kPa
Abrasion : 300,000+ Martindale Rubs

Flame Retardancy
BS5852 Ignition Source 5 - Crib 5 as standard
BS7176 Medium Hazard
S.I. 1988 No.1324 Schedule 4 and 5
BS EN1021-1 and 2
CS-25
FMVSS 302
IMO A 652 (16)

Antimicrobial
JIS Z 2801:2000
Independent testing has verified that Lionella is effective at reducing the spread of MRSA, E.Coli, and other similar bacteria.

See Chieftainfabrics.com for further details and cleaning instructions



FABRIC BAND 3




Application
High traffic areas, stadia seating, restaurant, hotel, healthcare etc

Characteristics
Surface : Phthalate free PVC
Backing : Cotton/PES
Weight : 705 g/m2
Thickness : 1.10mm
Bursting Strength : 1,200+kPa
Abrasion : 100,000+ Martindale Rubs

Flame Retardancy
BS5852 Ignition Source 5 - Crib 5 as standard
BS7176 Medium Hazard
S.I. 1988 No.1324 Schedule 4 and 5
BS EN1021-1 and 2
CS-25
FMVSS 302
IMO A 652 (16)

Antimicrobial
JIS Z 2801:2000
Independent testing has verified that Carino is effective at reducing the spread of MRSA, E.Coli, and other similar bacteria.

See Chieftainfabrics.com for further details and cleaning instructions



Batch to batch variations in shade may occur within commercial tolerances.

Agua Fabrics are leading suppliers of specialist upholstery fabrics, vinyls and faux leathers to the contract sector. All collections are fire retardant to Crib 5, impervious, stain resistant and anti-microbial making them ideally suited for specification in Healthcare, Education, Hospitality and Commercial environments. All 4 collections are suitable for soft seating

PAINT POT - FABRIC BAND 2

Application

High traffic areas, commercial, healthcare, hotel, restaurant, bar, café, marine etc

Characteristics

Surface: Phthalate Free PVC / PU
Backing: Cotton / PES
Weight: 600gm/m²
Thickness: 1.2mm
Bursting Strength: Grade A
Abrasion: 400,000+ Martindale Rubs

Flame Retardancy

BS5852 Crib 5 – Medium Hazard
BS EN 1021-1 :2006 (Smouldering Cigarette)
BS EN 1021-2 :2006 (Match Flame Equivalent)
IMO Annexe 1 Part 8

Anti-microbial

Bleach Cleanable

REACH Compliant

See aguafabrics.com for further details and cleaning instructions



LIBRA - FABRIC BAND 2

Application

Soft seating, commercial, healthcare, hotel, restaurant, bar, café, marine etc

Characteristics

Composition: Treated Polyester
Abrasion: 100,000+ Martindale Rubs

Flame Retardancy

BS5852 Crib 5 – Medium Hazard
BS EN 1021-1 :2006 (Smouldering Cigarette)
BS EN 1021-2 :2006 (Match Flame Equivalent)
IMO Annexe 1 Part 8

Anti-Microbial

Bleach Cleanable

REACH Compliant

See aguafabrics.com for further details and cleaning instructions



PARODY LINEN VINYL - FABRIC BAND 4

Application

High traffic areas, commercial, healthcare, hotel, restaurant, bar, café, marine etc

Characteristics

Surface: Phthalate Free PVC / PU
Backing: Cotton / PES
Weight: 650gm/m²
Thickness: 1.2mm
Bursting Strength: Grade A
Abrasion: 100,000+ Martindale Rubs

Flame Retardancy


BS5852 Crib 5 – Medium Hazard
BS EN 1021-1 :2006 (Smouldering Cigarette)
BS EN 1021-2 :2006 (Match Flame Equivalent)
IMO Annexe 1 Part 8

Antimicrobial

Bleach Cleanable

REACH Compliant

See aguafabrics.com for further details and cleaning instructions



CASHMIR TONES - FABRIC BAND 4

Application

Soft seating, commercial, healthcare, hotel, restaurant, bar, café, marine etc

Characteristics

Composition: Treated Polyester
Abrasion: 100,000+ Martindale Rubs

Flame Retardancy

BS5852 Crib 5 – Medium Hazard
BS EN 1021-1 :2006 (Smouldering Cigarette)
BS EN 1021-2 :2006 (Match Flame Equivalent)
IMO Annexe 1 Part 8

Anti-Microbial

Bleach Cleanable

REACH Compliant

See aguafabrics.com for further details and cleaning instructions



Batch to batch variations in shade may occur within commercial tolerances.

Bradbury Fabrics are proud British manufacturers of high quality woven upholstery fabrics suitable for many styles of seating, found in environments such as:- Offices, Public buildings, Hotels, Education, Restaurant and Healthcare. All of their collections are manufactured and available from stock for immediate use. Full colour cards or individual colour samples can be ordered for immediate despatch via the Sample Centre, by telephoning their offices on 01484 648182 or directly via the website www.bradburyfabrics.com.

PYRA - FABRIC BAND 0




Application
Upholstery fabric, suitable for task and operator style seating.

Characteristics
Composition : 100% FR Polypropylene
Weight : 220grms/mt2 +/-5%
Abrasion : Tested in accordance with BS EN ISO 12947-1:1999 >30,000 Martindale cycles*. Meets the requirements of BS 2543:2004, with a 5 year guarantee.
Light Fastness : 5+ (ISO 105 – B02:2014)


Flame Retardancy
BS EN 1021 -1:2014 (cigarette)
BS EN 1021 -2:2014 (match)
BS 7176:2007 Low Hazard

*Martindale abrasion testing alone is not an appropriate indicator for the durability of this product. The heat generated by this test far exceeds normal practice and affects the constituent fibre. The robust performance of this product is proven in use with a 5 year guarantee of durability.

Additional colours are available, please contact www.bradburyfabrics.com to view the full colour offering and also for any additional specification or cleaning instructions.



Cobalt



FIZZ - FABRIC BAND 1



Application
Upholstery fabric, suitable for task and operator style seating.


Characteristics
Composition : 100% Polyester – non metallic dyestuffs
Weight : 350grms/mt2 +/-5%
Abrasion : Tested in accordance with BS2543 : 2004 to 80,000 rubs martindale, with a 5 year guarantee
Light Fastness : 5 (ISO 105 – B02:1999)
Fastness to rubbing : 5 (BS EN ISO 105x12:2002)
Scale 1-5, 5 is best

Flame Retardancy
BS EN 1021 -1:2006 (cigarette)
BS EN 1021 -2:2006 (match)
BS 7176:2007 Low Hazard
BS 7176:2007 Medium Hazard
BS 5852:2006 Ignition source crib 5

Additional colours are available, please contact www.bradburyfabrics.com to view the full colour offering and also for any additional specification or cleaning instructions.



Scarlet



OMEGA PLUS - FABRIC BAND 1



Application
Upholstery fabric, suitable for task and operator style seating.

Characteristics
Composition : 100% Polyester – non metallic dyestuffs
Weight : 310grms/mt2 +/- 5%
Abrasion : Tested in accordance with BS 2543:2004 to 100,000 rubs martindale and is supported with a 5 year guarantee.
Light Fastness : 6 (ISO 105 – B02:1999)

Fastness to rubbing : 5 (BS EN ISO 105-x12:2002)
scale 1 – 5, 5 is best

Flame Retardancy
BS EN 1021-1:2006 (cigarette)
BS EN 1021-1:2006 (match)
BS 7176:2007 Low Hazard
BS 7176:2007 Medium Hazard
BS5852:2006 Ignition source Crib 5

Additional colours are available, please contact www.bradburyfabrics.com to view the full colour offering and also for any additional specification or cleaning instructions.



Swizzle



FLAMBLEND - FABRIC BAND 2



Application
Upholstery fabric, suitable for many styles of seating such as, task, operator and also soft seating units.

Characteristics
Composition : 45% Wool, 45% FR Modacrylic, 10% Nylon
Weight : 414grms/mt2 +/- 5%

Abrasion : Tested in accordance with BS EN ISO 12947-2:1999 as modified by Annex F of BS 2543:2004 to 100,000 rubs martindale. Meets the requirements of BS 2543:2004 and has been graded SEVERE CONTRACT and is suitable for all types of upholstery applications, with 5 year guarantee.
Light Fastness : 5+ (ISO 105 – B02:1999)
Fastness to rubbing : Wet 4+ & Dry 4+ (ISO 105-x12:2002)
Stain Repellance : Treated as standard with stain repellent treatment.

Flame Retardancy
BS EN 1021-1:2006 (cigarette)
BS EN 1021-1:2006 (match)
BS 7176:2007 Low Hazard
BS 7176:2007 Medium Hazard
BS 5852:2006 Ignition source Crib 5

Additional colours are available, please contact www.bradburyfabrics.com to view the full colour offering and also for any additional specification or cleaning instructions.



Delphinium



At Camira we've been weaving the fabric of the world for decades. We produce fabrics for spaces and places, from offices to schools, trains to buses, and shops to hospitals. We manufacture over 8 million metres of fabric a year so you're sure to have touched upon our fabrics either at work, at play or on the move. From our manufacturing plant, registered to ISO 9001 and 14001 standards, we make 8 million metres of fabric a year meeting international flammability regulations, celebrating colour, design, technical and environmental innovation.

CAMIRA MAIN LINE FLAX - FABRIC BAND 6

Composition
70% Virgin Wool, 30% Flax

Environmental
Rapidly renewable and compostable.

Abrasion Resistance
Heavy duty / 10 year guarantee
Independently certified to ≥50,000
Martindale cycles

Flammability
EN 1021 - 1 (cigarette)
EN 1021 - 2 (match)
BS 7176 Low Hazard
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
BS 5867-2 Type B Curtains & Drapes
UNI 9175 Classe 1 IM
ÖNORM B 3825 & A 3800-1

Light Fastness
5 (ISO 105 - B02)

Fastness to Rubbing
Wet: 3, Dry: 4 (ISO 105 - x12)

Note: Flammability performance is dependent on components used. See Camirafabrics.com for further details and cleaning instructions.



CAMIRA SYNERGY - FABRIC BAND 5

Composition
95% Virgin Wool, 5% Polyamide.
Non metallic dyestuffs

Weight
400g/m² ±5% (560g/lin.m ±5%)


Abrasion Resistance
Heavy duty / 10 year guarantee
Independently certified to ≥100,000
Martindale cycles

Flammability
EN 1021 - 1 (cigarette)
EN 1021 - 2 (match)
BS 7176 Low Hazard
UNI 9175 Classe 1 IM
NF D 60-013
ÖNORM B 3825 & A 3800-1
Optional: Please specify when ordering: BS 5852 Ignition Source 5 when FR treated
BS 7176 Medium Hazard when FR

Light Fastness
5 (ISO 105 - B02)

Fastness to Rubbing
Wet:4 Dry:4 (ISO 105 - X12)
Cleaning
Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.

Note: Flammability performance is dependent on components used. See Camirafabrics.com for further details and cleaning instructions.



CAMIRA RIVET - FABRIC BAND 1

Composition
100% Repreve Recycled Polyester.
REPREVE® Unifi, Inc.

Environmental
Made from 100% post-consumer recycled polyester.

Weight
280g/m² ±5% (390g/lin.m +/-5%)

Abrasion Resistance
Heavy duty / 10 year guarantee
Independently certified to ≥80,000
Martindale cycles

Flammability
EN 1021 - 1 (cigarette)
EN 1021 - 2 (match)
BS 7176 Low Hazard

Light Fastness
6 (ISO 105 - B02)

Fastness to Rubbing
Wet: 4, Dry: 4 (ISO 105 - X12)

Note: Flammability performance is dependent on components used. See Camirafabrics.com for further details and cleaning instructions.



CAMIRA XTREME - FABRIC BAND 3

Composition
100% Recycled Flame Retardant Polyester
Non metallic dyestuffs

Environmental
Made from 100% recycled polyester
Certified to the EU Ecolabel

Weight
310g/m² ±5% (435g/lin.m ±5%)

Abrasion Resistance
Heavy duty / 10 year guarantee
Independently certified to ≥100,00
Martindale cycles


Flammability
EN 1021 - 1 (cigarette)
EN 1021 - 2 (match)
BS 7176 Low Hazard
BS 5852 Ignition Source 5
BS 7176 Medium Hazard
DIN 4102 B1

UNI 8456 & UNI 9174 Classe 1
NF D 60-013

Note: Flammability performance is dependent on components used.

Light Fastness
6 (ISO 105 - B02)

Fastness to Rubbing
Wet:4, Dry:4 (ISO 105 - x12)
See Camirafabrics.com for further details and cleaning instructions



Batch to batch variations in shade may occur within commercial tolerances.